L Number	Hits	Search Text	DB	Time stamp
47	410	(user or customer or client) with	USPAT;	2004/09/29 10:48
3,		(input\$4 or enter\$) near3 ("serial no\$1" or "serial number")	US-PGPUB	2001,03723 10110
49	3	(user or customer or client) with (input\$4 or enter\$) near3 ("serial no\$1" or "serial number") with (storage adj	USPAT; US-PGPUB	2004/09/29 11:29
48	171	medi\$4) ((user or customer or client) with (input\$4 or enter\$) near3 ("serial no\$1" or "serial number")) and @ad<20010101.	USPAT; US-PGPUB	2004/09/29 11:28
50	7	(user or customer or client) with (input\$4 or enter\$) near3 ("serial no\$1" or "serial number") with ((storage adj medi\$4) or floppy\$ldisk or hard\$ldisk or zip\$ldisk or cd\$1rom)	USPAT; US-PGPUB	2004/09/29 12:21
51	24	(((convert\$4 or change) with (password or "user input" or pin)) with ((serial adj no\$1) or (serial adj number)))	USPAT; US-PGPUB	2004/09/29 12:24
66	229	(("serial no" or "serial no." or "serial number") with (storage near2 medi\$4))	USPAT; US-PGPUB	2004/09/29 12:54
79	1	4757534.pn.	USPAT; US-PGPUB	2004/09/29 14:17
80	82 2959	4757534.URPN. 713/201.ccls.	USPAT USPAT; US-PGPUB	2004/09/29 14:19 2004/09/27 09:16
-	3749	((deny\$4 or reject\$4 or authenticat\$4) with ((data or file or	USPAT; US-PGPUB	2004/09/24 16:50
-	636	<pre>program) near3 (store\$4 or loaded\$4))) ((deny\$4 or reject\$4 or authenticat\$4) with ((data or file or program) near3 (store\$4 or loaded\$4)) with</pre>	USPAT; US-PGPUB	2004/09/27 14:25
-	4	<pre>((storage near3 medi\$4) or hard\$1disk or floppy\$1disk or zip\$1disk or CD\$1Rom or comput\$4)) ((((deny\$4 or reject\$4 or authenticat\$4) with ((data or file or program) near3 (store\$4 or loaded\$4)) with ((storage near3 medi\$4) or hard\$1disk or</pre>	USPAT; US-PGPUB	2004/09/24 14:04
	3	floppy\$1disk or zip\$1disk or CD\$1Rom or comput\$4))) and ((generat\$4 or compar\$4 or convert\$4) with(signal near3 lock\$4))) (((deny\$4 or reject\$4 or authenticat\$4) with ((data or file or program) near3 (store\$4 or loaded\$4)) with ((storage near3 medi\$4) or hard\$1disk or floppy\$1disk or zip\$1disk or CD\$1Rom or	USPAT; US-PGPUB	2004/09/24 14:11
-	385	comput\$4)) and (lock\$4 near signal)) (((deny\$4 or reject\$4 or authenticat\$4) with ((data or file or program) near3 (store\$4 or loaded\$4)) with ((storage near3 medi\$4) or hard\$1disk or floppy\$1disk or zip\$1disk or CD\$1Rom or	USPAT; US-PGPUB	2004/09/24 14:11
_	109	<pre>comput\$4)) and signal) ((((deny\$4 or reject\$4 or authenticat\$4) with ((data or file or program) near3 (store\$4 or loaded\$4)) with ((storage near3 medi\$4) or hard\$1disk or</pre>	USPAT; US-PGPUB	2004/09/24 14:12
-	41	floppy\$1disk or zip\$1disk or CD\$1Rom or comput\$4)) and signal) and lock\$4) (((((deny\$4 or reject\$4 or authenticat\$4)) with ((data or file or program) near3 (store\$4 or loaded\$4)) with ((storage near3 medi\$4) or hard\$1disk or floppy\$1disk or zip\$1disk or CD\$1Rom or	USPAT; US-PGPUB	2004/09/24 14:27
-	44	comput\$4)) and signal) and lock\$4)) and @ay<2001. (((lock\$4 near3 signal) and (authenticat\$4 with ((store\$4 or loaded) with (file or data or data\$1file or program or software))))) and @ay<2001.	USPAT; US-PGPUB	2004/09/24 15:18

_		(((((storage adj3 medi\$3) or hard\$1disk or floppy\$1disk or zip\$1disk or CD or CD\$1ROM or computer) with ((serial adj (no\$1 or number)) or id or identif\$5 or	USPAT; US-PGPUB	2004/09/29 10:44
-	571	<pre>(manufactur\$4 adj2 number)))) and (authenticat\$5 with (lock near3 signal))) ((((storage adj3 medi\$3) or hard\$1disk or floppy\$1disk or zip\$1disk or CD or CD\$1ROM or computer) with ((serial adj (no\$1 or number)) or id or identif\$5 or</pre>	USPAT; US-PGPUB	2004/09/24 15:31
_	172	<pre>(manufactur\$4 adj2 number))) with (authentica\$4 with (data or data\$1file or file or software or program)))</pre>	USPAT; US-PGPUB	2004/09/24 15:48
		or computer) with ((serial adj (no\$1 or number)) or id or identif\$5 or (manufactur\$4 adj2 number))) with (authentica\$4 with (data or data\$1file or file or software or program))) and @av<2001.	05 2020	
-	5	((((((storage adj3 medi\$3) or hard\$1disk or floppy\$1disk or zip\$1disk or CD or CD\$1ROM or computer) with ((serial adj (no\$1 or number)) or id or identif\$5 or (manufactur\$4 adj2 number))) with (authentica\$4 with (data or data\$1file or file or software or program)))) and @ay<2001.) and (lock\$4 near3 signal)	USPAT; US-PGPUB	2004/09/24 15:35
 - .	597		USPAT; US-PGPUB	2004/09/27 14:32
-	5	713/189.ccls. and (lock\$ near signal)	USPAT;	2004/09/24 15:48
-	9	713/189.ccls. and ((((storage adj3 medi\$3) or hard\$1disk or floppy\$1disk or zip\$1disk or CD or CD\$1ROM or computer) with ((serial adj (no\$1 or number)) or id or identif\$5 or (manufactur\$4 adj2 number)) with (authentica\$4 with (data or data\$1file or file or software or program)))	US-PGPUB USPAT; US-PGPUB	2004/09/24 16:03
-	77	713/201.ccls. and ((((storage adj3 medi\$3) or hard\$1disk or floppy\$1disk or zip\$1disk or CD or CD\$1ROM or computer) with ((serial adj (no\$1 or number)) or id or identif\$5 or (manufactur\$4 adj2 number)) with (authentica\$4 with (data or data\$1file or file or software or program)))	USPAT; US-PGPUB	2004/09/28 15:50
-	36	(713/201.ccls. and ((((storage adj3 medi\$3) or hard\$1disk or floppy\$1disk or zip\$1disk or CD or CD\$1ROM or computer) with ((serial adj (no\$1 or number)) or id or identif\$5 or (manufactur\$4 adj2 number)) with (authentica\$4 with (data or data\$1file or file or software or program))) and @ay<2001.	USPAT; US-PGPUB	2004/09/24 16:10
-	36		USPAT; US-PGPUB	2004/09/24 16:10

-	14	(713/202.ccls. and ((((storage adj3	USPAT;	2004/09/24 16:47
		medi\$3) or hard\$1disk or floppy\$1disk or	US-PGPUB	
		zip\$1disk or CD or CD\$1ROM or computer)		
		with ((serial adj (no\$1 or number)) or id		
		or identif\$5 or (manufactur\$4 adj2		
		number))) with (authentica\$4 with (data or		
		data\$1file or file or software or		
		program)))) and @ay<2001.		
_	67	((authenticat\$4 with (us\$4 or by) with	USPAT;	2004/09/24 17:10
		((serial near3 number)	US-PGPUB	=====================================
		or id or identification)) with ((storage	33 13132	
		near3 medi\$3)		
		or hard\$ldisk or floppy\$ldisk or		
		zip\$1disk or cd\$1rom))		
_	14		USPAT;	2004/09/24 17:06
		((serial near3 number)	US-PGPUB	2001,03,21 1,.00
		or id or identification)) with ((storage	00 10100	
	-	near3 medi\$3)		
		or hard\$1disk or floppy\$1disk or		
		zip\$1disk or cd\$1rom))) and @ay<2001.		
_	1.0	(lock\$4 adj2 set\$4 adj2 (card or	USPAT;	2004/09/27 11:18
-	10	(lock\$4 adj2 set\$4 adj2 (card or smart\$1card))	USPAT; US-PGPUB	2004/03/2/ 11:18
	65			2004/00/27 00:24
_	65	lock\$4 adj2 set\$4 adj2 signal	USPAT;	2004/09/27 09:24
	_	3 - 3-04 - 3-40	US-PGPUB	2004/00/07 10 57
-	0	lock\$4 adj2 set\$4 adj2 signal with	USPAT;	2004/09/27 10:57
		authentication	US-PGPUB	0004/00/05 11 10
-	19	"5734718"	USPAT;	2004/09/27 11:10
	_		US-PGPUB	
-	1	5734718.pn.	USPAT;	2004/09/27 11:12
			US-PGPUB	
-	1	4853962.pn.	USPAT;	2004/09/27 11:18
			US-PGPUB	
-	1	5117456.pn.	USPAT;	2004/09/27 11:18
			US-PGPUB	
-	77	((lock\$4 near3 signal) and (authenticat\$4	USPAT;	2004/09/27 11:19
		with ((store\$4 or loaded) with (file or	US-PGPUB	
		data or data\$1file or program or		
		software))))		
-	1	713/189.ccls. and (lock\$4 adj status)	USPAT;	2004/09/27 13:49
			US-PGPUB	
-	3	713/182.ccls. and (lock\$4 adj status)	USPAT;	2004/09/27 11:54
			US-PGPUB	
-	11	713/201.ccls. and (lock\$4 adj status)	USPAT;	2004/09/27 11:54
			US-PGPUB	
-	3	(((deny\$4 or reject\$4 or authenticat\$4)	USPAT;	2004/09/27 14:29
		with ((data or file or	US-PGPUB	
		program) near3 (store\$4 or loaded\$4)) with		
		((storage near3 medi\$4) or hard\$1disk or		
		floppy\$1disk or zip\$1disk or CD\$1Rom or		
		comput\$4)) and (lock\$4 with status))		
-	597	713/189.ccls.	USPAT;	2004/09/27 14:32
			US-PGPUB	
-	367	713/189.ccls. and @ay<2002.	USPAT;	2004/09/27 14:33
		•	US-PGPUB	
-	5	(713/189.ccls. and @ay<2002.) and (lock\$4	USPAT;	2004/09/27 14:37
		with status)	US-PGPUB	. ,
-	5	((713/189.ccls. and @ay<2002.) and	USPAT;	2004/09/27 14:34
		(lock\$4 with status))	US-PGPUB	
]_	14		USPAT;	2004/09/27 15:14
1		(((storage adj2 medi\$4) or hard\$ldisk or	US-PGPUB	
}		floppy\$1disk or cd\$1rom or zip\$1disk) with		
		((serial adj2 (no\$1 or number)) or id or		
[identif\$4)))		

	50	(("5473735") or ("6014696") or ("6148102")	LICDATE.	2004/09/27 14:45
-	30	or ("6173441") or ("6199122") or	USPAT; US-PGPUB	2004/09/27 14:45
		("5404479") or ("5428685") or ("5778213")	03-FGFOB	
		or ("5793970") or ("5832171") or		
		("5915125") or ("5943517") or ("6072586")		
		or ("6128038") or ("6141662") or		
·		("6199042") or ("6205580") or ("4004135")		
		or ("4363831") or ("4527193") or		
		("4577219") or ("4586091") or ("4604660")		
į l		or ("4755889") or ("4789965") or		
		("4806153") or ("4816911") or ("4935821")		
		or ("4954968") or ("4958235") or		
		("4974178") or ("5007002") or ("5018080")		
		or ("5197052") or ("5239648") or		
		("5291401") or ("5321619") or ("5375113")		
		or ("5375221") or ("5381466") or		
		("5406324") or ("5430486") or ("5432614")		
1		or ("5473704") or ("5479411") or		
		("5493547") or ("5502576") or ("5572699")	·	
1	1005	or ("5602503") or ("5640254")).PN.	110000	2004/00/07 16 00
-	1925	(serial adj2 (no. or number)) with	USPAT;	2004/09/27 16:28
	1075	(encrypt\$4 or encod\$4 or encipher\$4)	US-PGPUB	2004/09/27 16:28
-	1875	("serial no." or "serial number") with (encrypt\$4 or encod\$4 or encipher\$4)	USPAT; US-PGPUB	2004/03/2/ 10:28
l _	1205	(("serial no." or "serial number") with	USPAT;	2004/09/27 16:29
	1203	(encrypt\$4 or encod\$4 or encipher\$4)) and	US-PGPUB	2004/03/21 10.29
		Read <20010703.	05 16105	
_	999	((("serial no." or "serial number") with	USPAT;	2004/09/27 16:30
		(encrypt\$4 or encod\$4 or encipher\$4)) and	US-PGPUB	
		@ad <20010703.) and ((storage medi\$4) or		
		floppy\$1disk or hard\$1disk or zip\$1disk)		
	395	1 , , , ,	USPAT;	2004/09/27 16:45
		(encrypt\$4 or encod\$4 or encipher\$4)) and	US-PGPUB	
		@ad <20010703.) and ((storage medi\$4) or		
	·	floppy\$1disk or hard\$1disk or zip\$1disk))		
		and authenticat\$4		0004/00/07 16 31
-	2		USPAT;	2004/09/27 16:31
		(encrypt\$4 or encod\$4 or encipher\$4)) and	US-PGPUB ·	
		<pre>@ad <20010703.) and ((storage medi\$4) or floppy\$1disk or hard\$1disk or zip\$1disk))</pre>		
		and authenticat\$4) and (lock\$4 with		
		status)		
-	1	·	USPAT;	2004/09/27 16:45
		(encrypt\$4 or encod\$4 or encipher\$4)) and	US-PGPUB	
		@ad <20010703.) and ((storage medi\$4) or		
		floppy\$1disk or hard\$1disk or zip\$1disk))		
1		and authenticat\$4) and (lock\$4 near3		
1		status)		
-	63	((((("serial no." or "serial number") with	USPAT;	2004/09/27 16:48
		(encrypt\$4 or encod\$4 or encipher\$4)) and	US-PGPUB	
]		@ad <20010703.) and ((storage medi\$4) or		
		floppy\$1disk or hard\$1disk or zip\$1disk))		
	145	and authenticat\$4) and (user adj input)	IICDATE.	2004/09/28 15:52
-	145	<pre>((((("serial no." or "serial number") with (encrypt\$4 or encod\$4 or encipher\$4)) and</pre>	USPAT; US-PGPUB	2004/09/20 13:52
		(encrypts4 or encods4 or enciphers4)) and @ad <20010703.) and ((storage medi\$4) or	US-FGFUB	
		floppy\$1disk or hard\$1disk or zip\$1disk))		
		and authenticat\$4) and (stored adj3 data)		
_	145	(encrypt\$4 with ((storage adj2 medi\$4) or	USPAT;	2004/09/28 08:22
		hard\$1disk or floppy\$1disk or cd\$1rom or	US-PGPUB	
		zip\$ldisk) with ((serial adj2 (no\$1 or		
]		number)) or id or identif\$4))		
-	71		USPAT;	2004/09/28 12:39
		hard\$1disk or floppy\$1disk or cd\$1rom or	US-PGPUB	
		zip\$1disk) with ((serial adj2 (no\$1 or		
		number)) or id or identif\$4))) and		
L		@ad<20010702.		

-	71	((((encrypt\$4 with ((storage adj2 medi\$4)	USPAT;	2004/09/28 08:27
		or hard\$1disk or floppy\$1disk or cd\$1rom	US-PGPUB	
		or zip\$1disk) with ((serial adj2 (no\$1 or		
		number)) or id or identif\$4))) and		
		@ad<20010702.) and ((serial adj2 (no\$1 or		· I
		number)) or id or identif\$4))		
-	50	((encrypt\$4 with ((storage adj2 medi\$4) or	USPAT;	2004/09/28 09:10
		hard\$1disk or floppy\$1disk or cd\$1rom or	US-PGPUB	
		zip\$1disk) with ((serial adj2 (no\$1 or		[
		number)) or id or identif\$4))) and @ad<20010102.		
_	362	(generat\$4 near3 encrypt\$4 near3 key) with	USPAT;	2004/09/28 09:19
	302	(serial adj (no. or number) or id or	US-PGPUB	2004/03/20 03:13
		identification)	00 10102	
_	143	((generat\$4 near3 encrypt\$4 near3 key)	USPAT;	2004/09/28 09:13
		with (serial adj (no. or number) or id or	US-PGPUB	
		identification)) and @ad<20010101.		
-	114	((generat\$4 near3 encrypt\$4 near3 key)	USPAT;	2004/09/28 09:17
		with (serial adj (no. or number) or id or	US-PGPUB	
		identification)) and (storage adj medi\$4)		
-	37	(((generat\$4 near3 encrypt\$4 near3 key)	USPAT;	2004/09/28 09:42
		with (serial adj (no. or number) or id or	US-PGPUB	
		identification)) and @ad<20010101.) and		
		(storage adj medi\$4)		0004/00/00 10 10
-	174	(generat\$4 near3 encrypt\$4 near3 key)	USPAT;	2004/09/28 10:40
		near3 (serial adj (no. or number) or id or	US-PGPUB	
_	132	identification) 713/182.ccls. and (storage adj medi\$4)	USPAT;	2004/09/28 12:45
	132	13,102.0013. and (3totage adj medi94)	US-PGPUB	2004/03/20 12.43
_	35	713/182.ccls. and (storage adj medi\$4)	USPAT;	2004/09/28 09:44
		with (encrypt\$4 or cipher\$4 or encod\$4)	US-PGPUB	2001, 03, 20
-	19	(713/182.ccls. and (storage adj medi\$4)	USPAT;	2004/09/28 09:44
ļ		with(encrypt\$4 or cipher\$4 or encod\$4))	US-PGPUB	
		and @ad<20010501.		
-	598	713/189.ccls.	USPAT;	2004/09/28 09:52
ĺ			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	i I
	1.0	(212/100 1	IBM_TDB	2004/00/20 00:56
_	12	(713/189.ccls. and (generat\$4 with	USPAT; US-PGPUB;	2004/09/28 09:56
		<pre>(encrypt\$4 or encipher\$4 or encode\$4)) with ((serial (no. or number)) with</pre>	EPO; JPO;	•
		(storage medi\$4 or hard\$1disk or	DERWENT;	
		floppy\$1disk or zip\$1disk or cd\$1rom)))	IBM TDB	
-	75	(generat\$4 near3 encrypt\$4 near3 key) adj2	USPĀT;	2004/09/28 10:40
	'	(serial adj (no. or number) or id or	US-PGPUB	111, 12, 23
		identification)		·
-	36	((generat\$4 near3 encrypt\$4 near3 key)	USPAT;	2004/09/28 10:41
		adj2 (serial adj (no. or number) or id or	US-PGPUB	
		identification)) and @ad<20010501.		
-	0	"serial no. of storage medium" with	USPAT; ,	2004/09/28 11:23
		(encrypt\$4 or cipher\$4 or encod\$4)	US-PGPUB	0004/00/00
_	0	"serial no. storage medium" with	USPAT;	2004/09/28 11:23
		(encrypt\$4 or cipher\$4 or encod\$4)	US-PGPUB	2004/00/20 11:21
-	9	<pre>((("serial no" or "serial no." or "serial number") with (storage near2 medi\$4)) with</pre>	USPAT; US-PGPUB	2004/09/28 11:31
		(encrypt\$4 or encod\$4 or encipher\$4))	US-EGPUD	
_	17	((("serial no" or "serial no." or "serial	USPAT;	2004/09/28 11:35
		number") with (storage near2 medi\$4)))	US-PGPUB	
		and (encrypt\$4 and authenticat\$4)	10102	
_	64	(generat\$4 adj2 (encrypt\$4 or encod\$4 or	USPAT;	2004/09/28 11:42
		encipher\$4) adj2 key) near3 ("serial no of	US-PGPUB	
		storage medium" or "serial no. of storage		
		medium" or "id" or "identification")		
-	26		USPAT;	2004/09/28 11:42
		encipher\$4) adj2 key) near3 ("serial no of	US-PGPUB	
		storage medium" or "serial no. of storage		
		medium" or "id" or "identification")) and		
	00775	@ad<20010501	HODAM	2004/00/20 12:40
_	88735		USPAT;	2004/09/28 12:42
		<pre>number" with (encrypt\$4 or encipher\$4 or encod\$4))</pre>	US-PGPUB	
	1	CIICOUY 3//	İ	

-	14213	',	USPAT;	2004/09/28 12:42
		number" with (encrypt\$4 or encipher\$4 or	US-PGPUB	
		encod\$4))) and (card or smartcard or		
		biometric or voice)		
_	2636		USPAT;	2004/09/28 12:42
		number" with (encrypt\$4 or encipher\$4 or	US-PGPUB	
		encod\$4))) and (card or smartcard or	05 10105	
	į	biometric or voice)) and authenticat\$4		
İ	1		HCDAM.	2004/09/28 12:43
-	1	(((("serial no." or "serial no" or "serial	USPAT;	2004/09/28 12:43
		number" with (encrypt\$4 or encipher\$4 or	US-PGPUB	
		encod\$4))) and (card or smartcard or		
		biometric or voice)) and authenticat\$4)		
		and @ad<20010501. and 713/183.ccls.		
-	766		USPAT;	2004/09/28 12:48
		number" with (encrypt\$4 or encipher\$4 or	US-PGPUB	
		encod\$4))) and (card or smartcard or		
		biometric or voice)) and authenticat\$4)		
		and @ad<20010501.		
_	23		USPAT;	2004/09/28 13:32
		number" with (encrypt\$4 or encipher\$4 or	US-PGPUB	2001,03,20 10102
		encod\$4))) and (card or smartcard or		
		biometric or voice)) and authenticat\$4)		
		and @ad<20010501. and 713/193.ccls.		
_] ,		I IICDATE -	2004/09/28 14:16
1-	1	6345360.pn.	USPAT;	2004/09/28 14:16
1	1	/-h	US-PGPUB	0004/00/00 11 15
-	242		USPAT;	2004/09/28 14:19
	1	encipher\$4 or encod\$4) with (serial (no\$1	US-PGPUB	
	[or number))		
-	145		USPAT;	2004/09/28 14:32
	[encipher\$4 or encod\$4) with (serial (no\$1	US-PGPUB	
	1	or number))) and @ad<20010501.		
-	0	"serial no." with (encrypt\$4 or encipher\$4	USPAT;	2004/09/28 14:33
	1	or encod\$4)	US-PGPUB	
-	199		USPAT;	2004/09/28 14:34
		or encod\$4)	US-PGPUB	=====================================
_	78		USPAT;	2004/09/28 14:39
	/ *	or encod\$4)) and @ad<20010501.	US-PGPUB	2004/09/20 14:39
1_	1		ľ	2004/00/20 14-40
_	9	"Scalable Computer System Using	USPAT;	2004/09/28 14:40
		Password-Based private Key Encryption"	US-PGPUB	0004/00/00 == ==
_	34	"serial no" with (encrypt\$4 or encipher\$4	USPAT;	2004/09/28 15:32
	,	or cipher\$4)	US-PGPUB	
_	8		USPAT;	2004/09/28 15:33
		or cipher\$4)) and @ad<20010501.	US-PGPUB	
_	1174		USPAT;	2004/09/28 15:53
		(encrypt\$4 or encod\$4 or encipher\$4) and	US-PGPUB	
		@ad<20010501.)	•	
_	1879	("serial no." or "serial number") with	USPAT;	2004/09/28 16:01
		(encrypt\$4 or encod\$4 or encipher\$4)	US-PGPUB	
_	1174	(("serial no." or "serial number") with	USPAT;	2004/09/28 16:01
	-1.1	(encrypt\$4 or encod\$4 or encipher\$4)) AND	US-PGPUB	
		@AD<20010501.	35 10105	
_	0		USPAT;	2004/09/28 15:58
	I			2004/03/20 13:30
		(encrypt\$4 or encod\$4 or encipher\$4)) AND	US-PGPUB	
1		@AD<20010501.) AND 713/189.CCLS. AND		
1	1	380.CCLS.		
-	890	("serial no." or "serial number") NEAR3	USPAT;	2004/09/28 16:02
		(encrypt\$4 or encod\$4 or encipher\$4)	US-PGPUB	
-	471	("serial no." or "serial number") ADJ2	USPAT;	2004/09/28 16:03
1		(encrypt\$4 or encod\$4 or encipher\$4)	US-PGPUB	
-	301	(("serial no." or "serial number") ADJ2	USPAT;	2004/09/28 16:05
	İ	(encrypt\$4 or encod\$4 or encipher\$4)) AND	US-PGPUB	
	ĺ	@AD<20010501.		
-	42	((("serial no." or "serial number") ADJ2	USPAT;	2004/09/28 16:10
		(encrypt\$4 or encod\$4 or encipher\$4)) AND	US-PGPUB	=====================================
		@AD<20010501.) AND (STorage adj medi\$3)	55 15105	
_	3		USPAT;	2004/09/28 16:24
)			2004/03/20 10:24
		number") near3 (storage adj medi\$4) with	US-PGPUB;	
	1	(encrypt\$4 or encod\$4 or encipher\$4)	EPO; JPO;	
			DERWENT;	
L			IBM TDB	

Page 6

_	8	("serial no" or "serial no." or "serial	USPAT;	2004/09/28 16:32
		number") with (storage adj medi\$4) with	US-PGPUB;	
		(encrypt\$4 or encod\$4 or encipher\$4)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5	672611.pn.	USPAT;	2004/09/28 16:33
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	i i
			IBM TDB	
-	2	6272611.pn.	USPĀT;	2004/09/28 16:56
		-	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	i i
			IBM TDB	!
-	2	6367019.pn.	USPAT;	2004/09/28 16:56
		•	US-PGPUB;	
			EPO; JPO;	1
			DERWENT;	
			IBM TDB	